





ARCHWALL BUILDINGS

PEOPLE.

The driving force at Meridian Manufacturing is the committed ingenuity of employees and dealers, as well as relationships built with our valued customers. Our team takes pride in the work we do and are committed to delivering innovative and reliable storage and handling products.





PRODUCTS

For Meridian Manufacturing, integrity means setting standards in product and service excellence. As a proven industry leader, our commitment to product innovation and customer support is our greatest pursuit.





EXPANSION VERSATILITY Your Meridian ArchWall can be easily expanded at any time simply by unbolting the existing end-wall, adding new arch sections and replacing the original end-wall.

CONTENT | SUPER SINGLE 4 | VEGETABLE BUILDINGS 6 | EQUIPMENT STORAGE 8 | LIVESTOCK PRODUCTION 10 | GRAIN BUILDINGS 12 | SHOP & RECREATION 14 |WRANGLER 15 | SECURSTOR 16 | TOYSTOR 17 | SPECIFICATIONS 18



PERFORMANCE

Our people and products deliver quality performance for you and your operation. We believe that when you are successful, so are we.

MERIDIAN ARCHWALL BUILDINGS

CUSTOM ENGINEERED AND BUILT FOR YOUR NEEDS



Footing Channel

Meridian ArchWall Buildings are your first choice for versatile, custom engineered storage. Using 100% steel construction and easy to assemble and expand, the Meridian ArchWall building can store it all: Vegetables, Hay, Grain, Fertilizer, Equipment & more.

Archwall buildings are anchored to the foundation using a die-formed footing channel, the most practical method available, making construction easier while allowing for future expansion. This unique system also supports the use of larger wall and roof panels, ensuring watertight seams and maintenance-free performance.

ARCHWALL BUILDING FEATURES

- ISO certified
- Spans: 40', 50', 51' 62', 68'
- Vegetable spans: 51', 62', 68', 90', 102' & 112'
- Heavy-duty roof & wall panels
- 4.5" Corrugation, 3.5' Panel Width
- Galvanized and pre-painted options
- Easy access doors
- Simple to follow construction & foundation details specific to each building
- Bolt-down, formed footing channel for easy connection to foundation
- Wide range of building accessories available






The patented (CDN 2990094) Meridian Super Single is our largest, most versatile building. The Super Single is a massive single span building, achieving its size by incorporating a central interior tower structure.

This single span structure allows for two large bays, and can be designed with a shared-air plenum or an independent environment for each bay. The tower also creates a safe and secure catwalk for easy access and inspection.


The double bay design offers an efficient, smaller energy footprint than two separate buildings, reducing initial power and water setup costs.

Like our standard ArchWall buildings, each Super Single is uniquely designed for your specific needs. Meridian's engineers and drafting team will create the perfect building for your operation.

SUPER SINGLE









Meridian Super Single ArchWall buildings are available in 90'-120' widths, custom to your needs.






Meridian's ArchWall Buildings offer vegetable producers efficient, versatile and economical storage. Meridian ArchWall buildings are available in a single building or shared double-building design. Standard ArchWall single buildings are available in sizes up to 250,000 cwt.

For producers who require flexible storage, Meridian's shared double-buildings can be designed to store a variety of vegetables in each building. The double-building design features a shared external plenum with capacities up to 500,000 cwt., suitable for large or small operations.

Let us create a building suited for your needs. Customize your ArchWall with options such as internal or external fanhouses, heating and refrigeration, doors, canopies, color panels and more. Don't settle for just any building, choose a Meridian ArchWall that's made for you.

VEGETABLE STORAGE



Single Span Meridian ArchWall buildings are available in 51', 62' & 68' widths.







Keep your equipment maintained and out of the elements, (out of the weather) with a Meridian ArchWall Building. ArchWall buildings are designed for cold or heated equipment storage, and allow for expansion if your storage needs grow.

ArchWall steel buildings offer more durability and security than wooden pole shed buildings. With a variety of door and end-wall options, choose the best building design for your storage needs.

EQUIPMENT STORAGE









Meridian ArchWall Buildings offer livestock producers high quality buildings that can be used for shelter, hay storage, treatment facilities and more. The durable and sturdy designs ensure generations of use on your farm.

Whether you are looking for simple open-ended hay storage or a state of the art dairy barn, our team will work with you and your contractors to develop the right building for your operation.

LIVESTOCK PRODUCTION
















When you need mega storage for your grain or fertilizer, look no further than a Meridian ArchWall Building. ArchWall grain & fertilizer buildings provide the space to store product quickly at large volumes, with the option for equipment or other storage needs, offering flexibility and a faster return on your investment.

GRAIN STORAGE









Meridian ArchWall Buildings provide great heated work areas, aircraft hangars, equestrian facilities, recreation centers and more. Our innovative Meridian engineers and design team look forward to creating the perfect ArchWall building for your business, pastime or recreational needs. Contact us today to learn more about our unique ArchWall building experience.

WRANGLER ARCHWALL



The Meridian ArchWall Wrangler is a tough, versatile, open and accessible building. Whether you're looking for a durable livestock shelter, hay storage, equipment storage or more, the Wrangler delivers, with simple straightforward construction.

The Wrangler is 36' deep and available in a variety of lengths to suit your requirements. The Wrangler is also the heaviest building of its kind on the market.



The Meridian ArchWall SecurStor is the perfect utility storage for your business, home, acreage and more. These 22 gauge galvanized steel buildings are strong, simple to erect, affordable and better suited for your location than other small storage options. SecurStor buildings are virtually fire proof, vermin proof and maintenance-free.

FIRE & VERMIN PROOF UTILITY STORAGE:

RCHWALL SECURSTOR

STANDARD COMPONENTS FOR ALL BUILDINGS	LOADS	STANDARD: LIVE 40 psf WIND 20 psf HEAVY: LIVE 80 psf WIND 20 psf	STANDARD: LIVE 21 psf WIND 20 psfHEAVY: LIVE 65 psf WIND 20 psf			
	BASIC WIDTH	11'-5.5''	14'-10''			
	BASIC LENGTH	11'-2'' & 24'-10''	24'-10''			
	BASIC HEIGHT	8'	8'			
	STANDARD FINISH	GALVANIZED				
	OVERHEAD DOOR FRAME (ONE ONLY)	9'X7' N.L.B. (END-WALL ONLY)				
	COLOUR OPTION	COLOUR OPTION POLAR WHITE				
OPTIONS	WALK-IN DOOR & FRAMES, 9'X7' SECTIONAL OVERHEAD DOORS, VENTS & ADAPTERS					

STOR 0 ARCHWALL

PICTURE YOUR NEXT Recreational storage With an Archwall toystor




The Meridian ArchWall ToyStor is an affordable, versatile building with endless options. Maintenance-free all steel construction, quick and simple assembly time and a wide variety of colour and trim options, these buildings are perfect for your garage, shed, utility storage, chemical storage and more!

	LOADS	40 psf SNOW LOAD	35 psf SNOW LOAD				
	BASIC WIDTH	26'-4''	32'-11''				
	BASIC LENGTH	11'-3'	10'-3''				
STANDARD COMPONENTS FOR	BASIC HEIGHT	17'-2''	18'-6''				
ALL BUILDINGS	STANDARD FINISH	GALVANIZED					
	OVERHEAD DOOR FRAME (ONE ONLY)	10' x 12'	14' x 12'				
	COLOUR OPTION	WHITE					
OPTIONS	WALK-IN DOOR & FRAMES, VENTS & ADAPTERS						

ARCHWALL MODEL SPECS

A SPAN	B PEAK HEIGHT	C MAX. GRAIN LEVEL ON SIDEWALL	INSIDE FLOOR AREA	REQUIRED CONCRETE WALL WIDTH	CORRUGATION	FINISH	AVAILABLE GAUGES
40'	18'-2"	12'	39 ft²/lft	8"	4 ½"	Galvanized	22 – 16
12.2 m	5.5 m	3.7 m	11.89 m²/m	203 mm	114 mm	Polar white	
50'	20'-0"	2'	49 ft²/lft	8"	4 ½"	Galvanized	22 – 14
15.2 m	6.1 m	0.6 m	14.94 m²/m	203 mm	114 mm	Polar white	
51'	17'-5"	10'	50 ft²/lft	8"	4 ½"	Galvanized	22 – 14
15.5 m	5.3 m	3.0 m	15.24 m²/m	203 mm	114 mm	Polar white	
62'	20'-8"	10'	61 ft²/lft	8"	4 ½"	Galvanized	20 – 14
18.9 m	6.3 m	3.0 m	18.59 m²/m	203 mm	114 mm	Polar white	
68'	23'-0"	10'	67 ft²/lft	8"	4 ½"	Galvanized	20 – 14
20.7 m	7.0 m	3.0 m	20.42 m²/m	203 mm	114 mm	Polar white	



90'-120' span custom designs available. Contact archwall@meridianmfg.com for more information.

DOUBLE SLIDING DOOR SIZES

OVERHEAD DOOR SIZES

SPAN	DOOR WIDTH	WIDTH METER	HEIGHT	HEIGHT METER	STEMWALL HEIGHT REQUIRED	SPAN	DOOR WIDTH	WIDTH METER	HEIGHT	HEIGHT METER	STEMWALL HEIGHT REQUIRED	F
	16' 10"	5.13m	14'-15'	4.27m-4.57m	0 - 1'	40' Span	16' 10"	5.13m	14'-15'	4.27m-4.57m	O-1'	•
40' Span	20' 3"	6.17m	14'-16'	4.27m-4.88m	0 - 2'		20' 3"	6.17m	14'-16'	4.27m-4.88m	1'-3'	•
	23' 8"	7.21m	14'-15'	4.27m-4.57m	1' - 2'		23' 8"	7.21m	14'-15'	4.27m-4.57m	2'-3'	•
50' Span	16' 10"	5.13m	14'-18'	4.27m-5.49m	0 - 2'		16'-10"	5.13m	14'-18'	4.27m-5.49m	0-2'	
	20' 3"	6.17m	14'-18'	4.27m-5.49m	0 - 2'	50'	20' 3"	6.17m	14'-18'	4.27m-5.49m	0-2'	
	23' 8"	7.21m	14'-18	4.27m-5.49m	0 - 3'	Span	23' 8"	7.21m	14'-18'	4.27m-5.49m	0-3'	•
	27' 1"	8.26m	14'-18'	4.27m-5.49m	0 - 4'		27' 1"	8.26m	14'-18'	4.27m-5.49m	0-4'	•
51' Span	16' 10"	5.13m	14'-18'	4.27m-5.49m	0 -4'		16' 10"	5.13m	14'-18'	4.27m-5.49m	0-4'	1
	20' 3"	6.17m	14'-18'	4.27m-5.49m	0 - 5'	51' Span	20' 3"	6.17m	14'-18'	4.27m-5.49m	0-5'	1
	23' 8"	7.21m	14'-18'	4.27m-5.49m	1'-5'		23' 8"	7.21m	14'-18'	4.27m-5.49m	2'-6'	•
	27' 1"	8.26m	14' - 18'	4.27m	2' - 6'		27' 1"	8.26m	14' - 18'	4.27m	3' - 7'	1
	16' 10"	5.13m	14'	4.27m-5.49m	0 -1'	62' Span	16' 10"	5.13m	14'-18'	4.27m-5.49m	0	1
	20' 3"	6.17m	14'-18'	4.27m-5.49m	0 -1'		20' 3"	6.17m	14'-18'	4.27m-5.49m	0-1'	•
62' Span	23' 8"	7.21m	14'-18'	4.27m-5.49m	0-2'		23' 8"	7.21m	14'-18'	4.27m-5.49m	0-2'	
	27' 1"	8.26m	14'-18'	4.27m-5.49m	0-2'		27' 1"	8.26m	14'-18'	4.27m-5.49m	1'- 6", 2' - 6'	-
ŀ	30' 6"	9.30m	17' 6"-19' 6"	5.64m-5.94m	4'-5'		30' 6"	9.30m	19'-20'	5.79m-6.10m	4'- 6", 5' - 6"	,
	16' 10"	5.13m	14'-18'	4.27m-5.49m	0	68' span	16' 10"	5.13m	14'-18'	4.27m-5.49m	0	
	20' 3"	6.17m	14'-18'	4.27m-5.49m	0		20' 3"	6.17m	14'-18'	4.27m-5.49m	0	
	23' 8"	7.21m	14'-18'	4.27m-5.49m	0		23' 8"	7.21m	14'-18'	4.27m-5.49m	0	•
68' Span	27' 1"	8.26m	14'-18'	4.27m-5.49m	0		27' 1"	8.26m	14'-18'	4.27m-5.49m	0	1
	30' 6"	9.30m	17' 6" ,19' 6"	5.64m	1'-3'		30' 6"	9.30m	19' - 20'	5.79m-6.10m	1'-6", 2' - 6"	1
	40' 9"	12.42m	17' 6", 19' 6"	5.33m-5.94m	3'-5'		40' 9"	12.42m	19' - 20'	5.49m-6.10m	4'-6", 5'- 6"	1

GHLIGHTS

- SO Certified
- pans: 40', 50', 51' 62' & 68'
- leavy-duty roof & wall panels
- Galvanized and pre-painted options
- asy access doors
- Simple to follow construction & oundation details specific to each uilding
- Bolt-down, formed footing channel or easy connection to foundation
- Vide range of building accessories vailable

CESSORIES FOR YOUR RIDIAN ARCHWALL

- op mounted loading hatches
- Stationary ventilators





DON'T SETTLE FOR JUST ANY BUILDING, CHOOSE A MERIDIAN ARCHWALL THAT'S MADE FOR YOU.



DOOR OPTIONS







Bi-Fold Door



Custom Side Door





MISCELLANEOUS OPTIONS



PEOPLE. PRODUCTS. PERFORMANCE.

meridianmfg.com | archwall@meridianmfg.com | (800) 830-2467

© 2019 Meridian Manufacturing, Inc. Registered Trademarks Used Under License. Printed in CANADA (05/2019)